
JOURNAL OF CLINICAL EPIDEMIOLOGY

VOLUME 79, NOVEMBER 2016

TABLE OF CONTENTS

Editorial

- 1 Are triallists guilty of 'imbalanced salami slicing'- by favouring positive results in secondary publications?
Peter Tugwell, and J. André Knottnerus

Reviews

- 3 A systematic review reveals that the credibility of subgroup claims in low back pain trials was low
Bruno T. Saragiotto, Chris G. Maher, Anne M. Moseley, Tie P. Yamato, Bart W. Koes, Xin Sun, and Mark J. Hancock
- 10 Limited responsiveness related to the minimal important difference of patient-reported outcomes in rare diseases
Bradley C. Johnston, Patricia A. Miller, Arnav Agarwal, Sobail Mulla, Rabia Khokbar, Kyle De Oliveira, Christine L. Hitchcock, Behnam Sadeghirad, Mukarram Mohiuddin, Nigar Sekercioglu, Michal Seweryn, Magdalena Koperny, Malgorzata M. Bala, Thomasin Adams-Webber, Alicia Granados, Alaa Hamed, Mark W. Crawford, Ans T. van der Ploeg, and Gordon H. Guyatt

Original Articles

- 22 Regression coefficient-based scoring system should be used to assign weights to the risk index
Hemalkumar B. Mehta, Vinay Mehta, Cynthia J. Girman, Deepak Adhikari, and Michael L. Johnson
- 29 Comment by M.E. Charlson and M. Wells
Mary E. Charlson, and Martin Wells
- 30 Editorial comment: Ratios should be multiplied, not added
J. André Knottnerus, Peter Tugwell, and George Wells
- 31 Psychometric properties of the Neck OutCome Score, Neck Disability Index, and Short Form-36 were evaluated in patients with neck pain
Tina Juul, Karen Søgaard, Aileen M. Davis, and Ewa M. Roos
- 41 Evidence of nicotine replacement's effectiveness dissolves when meta-regression accommodates multiple sources of bias
T.D. Stanley, and Shelby Massey

Continued on following page



0895-4356(201611)79:C;1-A

JOURNAL OF CLINICAL EPIDEMIOLOGY

VOLUME 79, NOVEMBER 2016

TABLE OF CONTENTS *continued*

- 46 A third of systematic reviews changed or did not specify the primary outcome: a PROSPERO register study
Andrea C. Tricco, Elise Cogo, Matthew J. Page, Julie Polisena, Alison Booth, Kerry Dwan, Heather MacDonald, Tammy J. Clifford, Lesley A. Stewart, Sharon E. Straus, and David Mober
- 55 Baseline risk has greater influence over behavioral attrition on the real-world clinical effectiveness of cardiac rehabilitation
Aviroop Biswas, Paul I. Oh, Guy E. Faulkner, and David A. Alter
- 62 New ICD-10 version of the Multipurpose Australian Comorbidity Scoring System outperformed Charlson and Elixhauser comorbidities in an older population
Barbara Toson, Lara A. Harvey, and Jacqueline C.T. Close
- 70 Specifying a target trial prevents immortal time bias and other self-inflicted injuries in observational analyses
Miguel A. Hernán, Brian C. Sauer, Sonia Hernández-Díaz, Robert Platt, and Ian Sbrrier
- 76 Geographic and temporal validity of prediction models: different approaches were useful to examine model performance
Peter C. Austin, David van Klaveren, Yvonne Vergouwe, Daan Nieboer, Douglas S. Lee, and Ewout W. Steyerberg
- 86 Administrative database code accuracy did not vary notably with changes in disease prevalence
Carl van Walraven, Shane English, and Peter C. Austin
- 90 Text message reminders to improve questionnaire response rates
Ada Keding, Sally Brabyn, Hugh MacPherson, Stewart J. Richmond, and David J. Torgerson
- 96 Reported estimates of diagnostic accuracy in ophthalmology conference abstracts were not associated with full-text publication
Daniël A. Korevaar, Jérémie F. Coben, René Spijker, Ian J. Saldanha, Kay Dickersin, Gianni Virgili, Lotty Hoof, and Patrick M.M. Bossuyt
- 104 The reporting of studies using routinely collected health data was often insufficient
Lars G. Hemkens, Eric I. Benchimol, Sinéad M. Langan, Matthias Briel, Benjamin Kasenda, Jean-Marie Januel, Emily Herrett, and Erik von Elm
- 112 Simple and multiple linear regression: sample size considerations
James A. Hanley
- 120 Evidence & Gap Maps: A tool for promoting evidence informed policy and strategic research agendas
Birte Snijlsteit, Martina Vojtkova, Ami Bhavsar, Jennifer Stevenson, and Marie Gaarder

Continued on following page

JOURNAL OF CLINICAL EPIDEMIOLOGY

VOLUME 79, NOVEMBER 2016

TABLE OF CONTENTS *continued*

- 130 Randomized trials are frequently fragmented in multiple secondary publications
Sbanil Ebrahim, Luis Montoya, Mostafa Kamal el Din, Zabira N. Sobani, Arnav Agarwal, Sheena Bance, Juliann Saquib, Nazmus Saquib, and John P.A. Ioannidis
- 140 Measurement model choice influenced randomized controlled trial results
Rosalie Gorter, Jean-Paul Fox, Adri Apeldoorn, and Jos Twisk
- 150 The skills and experience of GRADE methodologists can be assessed with a simple tool
Susan L. Norris, Joerg J. Meerpohl, Elie A. Akl, Holger J. Schünemann, Gerald Gartlehner, Yaolong Chen, and Craig Whittington, on behalf of the Grading of Recommendations Assessment, Development and Evaluation (GRADE) Working Group
- 159 Small improvement in the area under the receiver operating characteristic curve indicated small changes in predicted risks
Forike K. Martens, Elisa C.M. Tonk, Jannigje G. Kers, and A. Cecile J.W. Janssens

Letters to the Editor

- 165 Over 85% of included studies in systematic reviews are on MEDLINE
Andrew Booth
- 166 Informing the patient: the “forgotten” link
Clovis Mariano Faggion, Jr.
- 167 Online obituaries are a reliable and valid source of mortality data
Medha L. Soowamber, John T. Granton, Fatemeh Bavagbar-Zaeimi, and Sindhu R. Johnson
- 168 New insights into smoking cessation question the effectiveness of nicotine replacement therapy
Ross MacKenzie, and Wendy Rogers
- 169 Considerations of statistical power and risk of bias question the strength of nicotine replacement therapy’s effectiveness
T.D. Stanley
- 170 The effectiveness of psychostimulants in ADHD treatment: Reversing parasympathetic promoting environmental influences?
Keith Fluegge